OASIS

The DocBook Document Type

Working Draft 4.3b4, 30 Sep 2003

Document identifier:
    wd-docbook-docbook-4.3b4

Location:
    http://docbook.org/specs

Editor:
    Norman Walsh, Sun Microsystems, Inc. `<Norman.Walsh@Sun.COM>`

Abstract:
    DocBook is general purpose [XML] and [SGML] document type particularly well suited to books and
    papers about computer hardware and software (though it is by no means limited to these applications).

    The Version 4.3 release is a maintainance release. It introduces no backwards-incompatible changes.

Status:
    This Working Draft is an editor's draft. It does not necessarily represent the consensus of the committee.

    Please send comments on this specification to the `<docbook@lists.oasis-open.org>` list. To
    subscribe, send an email message to `<docbook-request@lists.oasis-open.org>` with the word
    "`subscribe`" as the body of the message.

    The errata page for this specification is at http://docbook.org//specs/docbook-errata.html.

Table of Contents

Appendixes

1. Introduction

DocBook is general purpose XML and SGML document type particularly well suited to books and papers about computer hardware and software (though it is by no means limited to these applications).

The DocBook Technical Committee maintains the DocBook schema. DocBook is officially available as a Document Type Definition (DTD) for both XML and SGML. It is unofficially available in other forms as well.

The Version 4.2 release is a maintainance release. It introduces no backwards-incompatible changes. All valid DocBook 4.1 documents are also valid DocBook 4.2 documents.

The DocBook Technical Committee welcomes bug reports and requests for enhancement (RFEs) from the user community. The current list of outstanding requests is available through the SourceForge tracker interface. This is also the preferred mechanism for submitting new requests. Old RFEs, from a previous legacy tracking system, are archived for reference.

2. Terminology

The key words *must*, *must not*, *required*, *shall*, *shall not*, *should*, *should not*, *recommended*, *may*, and *optional* in this Working Draft are to be interpreted as described in [RFC 2119]. Note that for reasons of style, these words are not capitalized in this document.

3. The DocBook Document Type V4.3

The DocBook document type is distributed for XML and SGML from the DocBook site at OASIS. DocBook is also available from the mirror on http://docbook.org/.

3.1. Changes in DocBook V4.3b4

There are no backwards-incompatible changes in this release.

Each of the changes made between DocBook V4.2b3 and DocBook XML V4.3b4 is summarized here. For complete details, consult the individual RFEs and the meeting minutes.

3.2. Enhancements

- RFE 518074: Added a number of new values to the `class` attribute of `database`.
- RFE 517604: Allow optional `title` on `glosslist`.
- RFE 507975: Revision should allow `author` or `authorinitials`.
- RFE 533734: Allow `void` to be optional on `methodsynopsis`, `consstructorsynopsis`, and `destructorsynopsis`.
- RFE 570068: Added `emailmessage`, `webpage`, and `newsposting` as `pubwork` values for `citetitle`.
- RFE 564776: Added `process`, `service`, `server`, and `daemon` to the `class` values of `systemitem`.

- RFE 573812: Allow `blockinfo` on `blockquote`.
- RFE 571998: Added `initializer` to `paramdef`.
- RFE 571996: Added `prefix`, `namespace`, and `localname` to `class` for `sgmltag`.
- Added `StepAlternatives`.

3.3. Changes in DocBook V4.3b3

There are no backwards-incompatible changes in this release.

Each of the changes made between DocBook V4.2b2 and DocBook XML V4.3b3 is summarized here. For complete details, consult the individual RFEs and the meeting minutes.

3.4. Enhancements

- Added `code` inline with `language` attribute.
- Fixed oversights that removed `blockinfo` and `textobject` from CALS tables.
- RFE 615587: add `xml:base` to common attributes (2002 Nov)
- RFE 616216: Allow `sets` to be recursive. (2002 Nov)
- RFE 615473: Add `floatstyle` to `figure`, `informalfigure`, `example`, `informalexample`, `equation`, `informalequation`.
- Fixed parameter entity declaration problems that resulted in duplicate attribute declarations for some table-related elements.
- Added `type` attribute to `indexterm` and `index`.

4. Changes in DocBook V4.3b2

There are no backwards-incompatible changes in this release.

Each of the changes made between DocBook V4.2 and DocBook XML V4.3b2 is summarized here. For complete details, consult the individual RFEs and the meeting minutes.

There was no public beta 1 release.

4.1. Enhancements

- Allow HTML table models in addition to CALS or SOEx table models (2003 Apr)

  Note: the editor has changed the content model of `caption` to support HTML tables with captions more directly.
- Support `task` markup (2003 Jun).
- Related to RFE 679316: add orgname to inlines (2003 Jul)
- Added function attribute to keycap for improved semantics (2003 Jul)
- RFE 705885: add namespace attribute to sgmltag (2003 May)
- RFE 691762: add language attribute to verbatim environments (2003 May)
- RFE 573419: add bidirectional text override (2003 Apr)
- RFE 565716: support for URI element (2003 Apr)
- RFE 660044: support continuation and startinglinenumber on verbatims (2003 Feb)
- RFE 655526: support modifier in funcprototype (2003 Feb)
- RFE 638456: support translators (2003 Feb)
- RFE 582822: paramdef and varargs on funcprototype (2003 Feb)
- RFE 473365: choice attribute for paramdef (2003 Feb)
- RFE 570068: new values for pubwork (2003 Jan)
- Added xrefstyle (2002 Dec)

5. Release Notes

This is a beta release by the editor. It has no normative status and may contain bugs.

6. Changes Proposed for DocBook V5.0

The following backwards-incompatible changes were announced in DocBook V4.0, the DocBook Technical Committee expects to incorporate them into DocBook V5.0.

Each of the changes proposed is summarized here. For complete details, consult the individual RFEs and the meeting minutes.

- DocBook V5.0 will be primarily an XML DTD. This will require a wide range of changes. As a result, DocBook V5.0 will more closely resemble The XML version of DocBook V4.x than the SGML version.
- Planned parameter entity reorganization may reduce some content models. The goal of this effort is to remove a large number of spurious elements that snuck into content models during the first parameter entity reorganization (circa DocBook 2.4). In practice the TC expects changes to have very little "real world" impact.
- The `coords` attribute will be removed from `areaset`.
- The `articleinfo` element will be removed from `biblioentry`.
- The `contents` attribute will be removed from `bookinfo` and `setinfo`.
- The `%indexdivcomponent.mix;` parameter entity will be restricted. Numbered figures and other elements inappropriate for an `index` or `setindex` will be removed.
- The `revhistory` element will be removed from `glossterm`.
- RFE 416415: The `constant class` will be removed from `systemitem`.
- The `graphic` and `inlinegraphic` elements will be removed.
- Tables will be restricted from full CALS Table Model to the OASIS Exchange model.

7. Changes Proposed for DocBook V6.0

The DocBook Technical Committee expects to announce the following backwards-incompatible changes in DocBook V5.0, for eventual incorporation into DocBook V6.0.

Each of the changes proposed is summarized here. For complete details, consult the individual RFEs and the meeting minutes.

- RFE 412476: The `class` attribute on `productname` will be `#IMPLIED`.
- RFE 482810: The content model of `msgtext` is far too broad. It will be reduced to the same mixture as `%example.mix;`.
- RFE 482811: The `title` element will be removed from `%bibliocomponent.mix;` (use `citetitle` instead).
- RFE 482812: The content model of `citetitle` will be reduced from `%para.char.mix;` to `%title.char.mix;`.
- RFE 482815: The `synopsis` element will be removed from `%para.char.mix;`.
- RFE 482818: Simplify the content model of `toc`.
- RFE 482819: The content models of the bibliography elements will be adjusted so that it is not possible to mix `biblioset` and `bibliomset` elements.
- RFE 482922: The `msgtext` element will be constrained to occur only inside `msgset`. See also RFE 482817.
- RFE 531851: Remove inline person name elements as proposed.
- RFE 531855: Remove `corpname` as proposed.

A. OASIS DocBook Technical Committee (Non-Normative)

The following individuals were members of the committee during the formulation of this Working Draft:

- Jeff Beal
- Steve Cogorno
- Paul Grosso
- Dick Hamilton
- Nancy Harrison
- Scott Hudson
- Mark Johnson
- Michael Smith
- Norman Walsh (Chair, Editor)

B. Notices

Copyright © The Organization for the Advancement of Structured Information Standards [OASIS] 2001, 2002, 2003. All Rights Reserved.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification, can be obtained from the OASIS Executive Director.

OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to implement this specification. Please address the information to the OASIS Executive Director.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to OASIS, except as needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS has been notified of intellectual property rights claimed in regard to some or all of the contents of this specification. For more information consult the online list of claimed rights.

C. Intellectual Property Rights

For information on wether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the DocBook web page (http://www.oasis-open.org/committees/docbook/)

D. Revision History

Working Draft "Beta 4"   30 Sep 2003
Working Draft "Beta 3"   26 Sep 2003
Working Draft "Beta 2" (Beta 1 was15 Aug 2003
never released.)

References

Normative

[SGML] JTC 1, SC 34. *ISO 8879:1986 Information processing -- Text and office systems -- Standard Generalized Markup Language (SGML)*. 1986.

[XML] Tim Bray, Jean Paoli, C. M. Sperberg-McQueen, and Eve Maler, editors. *Extensible Markup Language (XML) 1.0 Second Edition*. World Wide Web Consortium, 2000.

[RFC 2119] IETF (Internet Engineering Task Force). *RFC 2119: Key words for use in RFCs to Indicate Requirement Levels*. S. Bradner. 1997.